

Commercial Disposers



FabWright Inc.

FabWright Inc.

Commercial Disposers for Any Application

FabWright Inc. 1/2 HP, 3/4 HP and 1 HP disposers with 3.5" and 6" throat openings are engineered to efficiently process waste from food, vegetable and salad preparation tables, pot sinks and dishwashing stations. These disposers are recommended for processing difficult foodwaste in operations experiencing light to moderate volume.

Typical Applications

- Small- to medium-size restaurants
- School & hospital cafeterias
- Churches
- Fast food operations
- Shipboard galleys
- Short-order cafes and coffee shops

Seating Capacities

Model 503, 506 (1/2 HP): 50
Model 753, 756 (3/4 HP): 75
Model 1003, 1006 (1 HP): 100



Exclusive second water inlet provides "after flush" of grinding chamber for medium and large-frame disposers.

Optional for small frame disposers.

These heavy duty 1.5 HP, 2 HP, 3 HP and 5 HP disposers process heavier and more difficult solid waste and can handle a variety of waste material under continuous use. Recommended for high-volume food preparation and dishwashing stations performing moderate to heavy work.

Typical Applications

- Hotels / Hospitals
- Medium- to large-size restaurants / cafeterias
- Steak and seafood restaurants
- Supermarkets

Seating Capacities

Model 1506 (1.5 HP): 150 Model 2006 (2 HP): 250
Model 3006 (3 HP): 300 Model 5006 (5 HP): 1,000

Specification sheets are available on individual units. Contact your FabWright Inc. Representative



FabWright Inc.
disposers meet or exceed
Military Specifications
MIL-G-15840C and
MIL-G-24123A (ships).

FabWright Inc.'s rugged 5 HP, 7.5 HP and 10 HP disposers are designed for operations where waste loads are extreme and volume is heavy. These disposers feature a reduced speed (1140 RPM) to provide optimum performance while finely grinding and disposing of bulky and difficult solid waste such as corn cobs, bones, clam shells, artichoke stems, coconuts, etc. Recommended for operations requiring continuous duty during peak periods for food preparation tables and soiled dish tables.

Typical Applications

- Large restaurants
- Hotels / Hospitals
- University / Military food service
- Supermarkets
- Meat, fish & food processing plants
- Prisons (package available)


Seating Capacities

Model 5126 (5 HP):	2,670
Model 51212 (5 HP):	2,670
Model 7506 (7.5 HP):	4,400
Model 75012 (7.5 HP):	4,400
Model 10006 (10 HP):	6,130
Model 10012 (10 HP):	6,130




25 HP Model not shown

FabWright Inc.'s exclusive shear ring, flywheel, blocks and knives have been German-engineered to add years to the life of the disposer. These component parts reduce sewer clogs which saves hundreds of dollars in labor time and repairs.

- Hammers (1) rip apart large items as the flywheel rotates
- Shear ring traps foodwaste, forcing it against cutter blocks
- Cutter blocks (2) cut bulky waste
- Shear ring edges (3) shear waste
- Stainless steel knives (4) on flywheel slice waste into minute particles as it enters disposer discharge housing
- The highly-engineered grinding chamber has only one moving part, the flywheel
- The veins (5) on the cutting edge allow only the smallest particles to exit
- Easy maintenance feature: Special steel shaft (6) rotates flywheel and extends through bottom of the heavy-duty motor. Operator simply rotates shaft with FabWright Inc.'s de-jamming wrench



Disposer Specifications



Small Frame

Model #	503	506	753	756	1003	1006
A	3	6	3	6	3	6
B	7	6	5 1/2	6	5 1/2	6
C	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
D	9 1/2	9	8 3/8	8 7/8	8 3/8	8 7/8
E	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
F 1PH	22 1/4	21 1/2	22 1/4	22 1/4	22 1/4	22 1/4
3PH	N/A	N/A	22 1/4	22 1/4	22 1/4	22 1/4
G	6 1/8	6 1/8	6 1/8	6 1/8	6 1/8	6 1/8

Medium Frame

Model #	1506	2006	3006	5006
A	6	6	6	6
B	8 1/4	8 1/4	8 1/4	8 1/4
C	4	4	4	4
D	10 1/2	10 1/2	10 1/2	10 1/2
E	2	2	2	2
F 1PH	24 3/4	24 3/4	24 3/4	26 1/4
3PH	24 3/4	24 3/4	24 3/4	26 1/4
G	8 1/8	8 1/8	8 1/8	8 1/8

Large Frame (Heavy Duty)

Model #	5126	51212	7506	75012	10006	10012
A	6	11 1/2	6	11 1/2	6	11 1/2
B	8	3 1/4	8	3 1/4	8	3 1/4
C	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
D	10 1/2	5 3/4	10 1/2	5 3/4	10 1/2	5 3/4
E	2	2	2	2	2	2
F 1 PH	27 3/4	23	29 1/4	22 1/2	30 1/4	25 1/2
3PH	22 3/4	19	25 1/4	21 1/2	22 3/4	19 1/4
G	10 5/8	10 5/8	10 5/8	10 5/8	10 5/8	10 5/8

For Model #25000 (25 HP) rough-in dimensions, please contact the factory

FabWright disposers carry a 1-year parts and on-site service warranty.

FabWright Inc. suggests you carefully consider all the information provided to be certain you select the disposer that will allow for growth in your operation. If your operation includes significant amounts of fibrous, hard or bulky items in the waste mix, or if there is occasional need for increased capacity, we recommend a larger horsepower unit be used. In medium to

large food service establishments, additional disposers are often used when substantial amounts of foodwaste originate at other than the soiled-dish table. Ask! We'll do our best to put it all together for you.

Comparison chart listing FabWright models vs competitive models available upon request.



FabWright

13912 Enterprise Drive - Garden Grove, CA 92843

Ph: (714)554-5544 or (800)854-6464 Fx: (714)554-5545